

WASHBASINS, UNDERCOUNTER WASHBASIN, UNDERCOUNTER WASHBASINS
STRADA

PRODUCT INFORMATION

1 . POSITION




| | |
|-------------------------------|--|
| Model | 5A0218 |
| Width | 17" inch |
| Depth | 13 1/4" inch |
| Weight | 19,75 lbs |
| Description | <p>Interior glazed only Sanitary ceramics the hole for the washbasin can only be cut out using the original washbasin because dimension tolerances are possible fastening set included EN 31, EN 14688 This undermount sink is made of vitreous china. The undermount sink is 17" (432mm) x 13 1/4" (337mm). The product is with overflow. The undermount sink is Villeroy & Boch model 5A0218. meets and exceeds ASME A112.19.2/CSA B45.1 ASME A112.19.14, Code Compliance: UPC, IPC, NSPC, NPC Canada and others, ADA compliant rear drain one year limited warranty waste diameter: 1 1/4" O.D. basin dimensions: 17 1/2" x 13 7/8" (446 x 354mm)</p> |
| Tap fitting / Tap hole remark | Without faucet hole |
| Overflow remark | with overflow |
| Material | Sanitary ceramics |
| Specification texts | <p>; Undermount bathroom sink; Sanitary ceramics; Size: 17" x 13 1/4" (432 x 337 mm); Rectangle; Interior glazed only; Without faucet hole; with overflow; the hole for the washbasin can only be cut out using the original washbasin because dimension tolerances are possible; fastening set included; EN 31, EN 14688; This undermount sink is made of vitreous china. The undermount sink is 17" (432mm) x 13 1/4" (337mm). The product is with overflow. The undermount sink is Villeroy & Boch model 5A0218.; meets and exceeds ASME A112.19.2/CSA B45.1 ASME A112.19.14, Code Compliance: UPC, IPC, NSPC, NPC Canada and others, ADA compliant; rear drain; one year limited warranty; waste diameter: 1 1/4" O.D.; basin dimensions: 17 1/2" x 13 7/8" (446 x 354mm)</p> |

COLOURS

| | | |
|-------------|----------|---------------|
| White Alpin | 5A021801 | 4047289330134 |
| Bisquit | 5A0218P8 | 4047289330141 |

TECHNICAL DRAWINGS

5A0218



Note: Fixture dimensions meet ASME A112.19.2 requirements.
These measurements are subject to change or cancellation.
No responsibility will be assumed for use of superseded or voided pages.