

WASHBASINS, DROP-IN WASHBASIN, BUILT-IN WASHBASINS LOOP & FRIENDS

PRODUCT INFORMATION

1 . POSITION



| | |
|-------------------------------|--|
| Model | 6145U1 |
| Width | 20 1/8" inch |
| Depth | 13 3/8" inch |
| Weight | 22,27 lbs |
| Description | <p>Outside surface fully glazed, centered drain, concealed overflow drain line</p> <p>Sanitary ceramics incl. extended ball rod for pop-up waste, fastening brackets and cut-out template included EN 31, EN 14688</p> <p>This drop-in sink is made of vilboplus. The drop-in sink is 20 1/8" x 13 3/8". The product is with overflow. The product is with ceramic plus. The drop-in sink is Villeroy & Boch model 6145U1. meets and exceeds ASME A112.19.2/CSA B45.1 ASME A112.19.14, Code Compliance: UPC, IPC, NSPC, NPC Canada and others, ADA compliant centered drain one year limited warranty waste diameter: 1 1/4" O.D. basin dimensions: 17 3/4" x 13 3/8" (450 x 340mm)</p> |
| Tap fitting / Tap hole remark | Without faucet hole |
| Overflow remark | with overflow |
| Material | Sanitary ceramics |
| Specification texts | <p>; Drop-in bathroom sink (rectangular); Sanitary ceramics; Size: 20 1/8" x 13 3/8" (510 x 340 mm); Rectangle; Outside surface fully glazed, centered drain, concealed overflow drain line; Without faucet hole; with overflow; incl. extended ball rod for pop-up waste, fastening brackets and cut-out template included; EN 31, EN 14688; This drop-in sink is made of vilboplus. The drop-in sink is 20 1/8" x 13 3/8". The product is with overflow. The product is with ceramic plus. The drop-in sink is Villeroy & Boch model 6145U1.; meets and exceeds ASME A112.19.2/CSA B45.1 ASME A112.19.14, Code Compliance: UPC, IPC, NSPC, NPC Canada and others, ADA compliant; centered drain; one year limited warranty; waste diameter: 1 1/4" O.D.; basin dimensions: 17 3/4" x 13 3/8" (450 x 340mm)</p> |

COLOURS

| | | |
|-------------------------|----------|---------------|
| White Alpin CeramicPlus | 6145U1R1 | 4051202169886 |
| Pergamon CeramicPlus | 6145U1R3 | 4051202169909 |
| White Alpin | 6145U101 | 4051202169893 |

TECHNICAL DRAWINGS

6145U1

